

# CONSTRUCTION ADHESIVES PRODUCT GUIDE



**Titebond**  
THE PRO'S ADVANTAGE



**ONE TRUSTED SOURCE**  
**TRUSTED BY PROFESSIONALS**

Beginning with the development of the first ready-to-use liquid hide glue in 1935, Franklin International established itself as an innovative leader in the woodworking and construction industry. Today, under the Titebond brand, we offer several different construction adhesives designed for a variety of applications. Builders and contractors depend on Titebond to deliver the most consistent and highest performing products to meet their demands. Utilizing an array of five different adhesive technologies, Titebond construction adhesives are tough, high performing, exceptionally durable and trusted by the professional.

**Titebond**  
**THE PRO'S ADVANTAGE**

**FAST SET**

**TITEGRAB<sup>TM</sup>+**

**HEAVY DUTY**

**SUBFLOOR**

**DRYWALL**

**PROJECT SPECIFIC**

**SPECIALTY**

**PANEL**

**MERCHANDISING**

**SKU INFO**

# FAST SET

## Construction Adhesive



**PRO  
STRENGTH**



**Faster.  
Stronger.  
Better.**

Titebond® Fast Set Polyurethane Adhesive is a one-component, advanced adhesive technology designed for the most demanding construction projects. It exhibits fast strength development and can bond non-porous materials together. Fast Set extrudes as a smooth bead that can be used in near-freezing temperatures.

### ULTIMATE Polyurethane

- Covered under the Lifetime Platinum Subfloor Warranty against subfloor squeaks and pops
- Advanced adhesive technology designed to build strength faster and stronger than other common construction adhesives
- Bonds most wet, frozen and treated building materials, including non-porous substrates
- Smooth, flexible, low odor, full-bodied adhesive bead that offers a permanent bond with minimal shrinkage and does not become brittle and crack
- Ideal for demanding interior & exterior construction, installation and repair projects
- Will not drool, leading to higher yield per cartridge
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

#### Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557
- CAN/CGSB-71.25M
- CAN/CGSB-71.26M

#### Ordering Information:

- **10 oz. Cartridge** (Part # 4221)  
Case UPC - 10037083042211  
Case Weight - 11.99 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 4222)  
Case UPC - 10037083042228  
Case Weight - 32.32 Pounds  
44 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# TITEGRAB<sup>™</sup> +

**Construction Adhesive**



**Grabs Instantly**  
**Holds Permanently**

Titebond® TiteGrab™ Plus Construction Adhesive is an innovative, advanced polymer formula designed to instantly grab and hold materials in place. Its rapid strength build significantly reduces installation times and amount of bracing, making it ideal for interior and exterior construction and repair projects that benefit from instant holding power, including vertical applications.



### **PLUS** Advanced Polymer

- Multipurpose formula designed to instantly grab and hold virtually any material
- Reduces time and amount of bracing, significantly decreasing installation times
- Rapid strength build to quickly and easily secure objects, even to vertical surfaces
- Zero adhesive shrinkage that remains permanently flexible and will not brittle with age
- Superior handling that is easy to extrude and repositionable up to 10 minutes
- 2.5 inches of adhesive per pound of substrate is required to instantly hold the material

#### Ordering Information:

- 9 oz. Cartridge (Part # 6701)  
Case UPC - 10037083067016  
Case Weight - 13.64 Pounds  
108 Packages Per Pallet



# HEAVY DUTY

## Construction Adhesives



### Solvent-Based

- Covered by the 50 Year Gold Subfloor Warranty against subfloor pops and squeaks
- Strongest bond strength for the most demanding projects
- All weather, waterproof formula designed for extreme conditions
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

### Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557
- Certified for use with FHA/HUD UMB #60

### Ordering Information:

- **10 oz. Cartridge** (Part # 5261)  
Case UPC - 10037083052616  
Case Weight - 10.11 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5262)  
Case UPC - 10037083052623  
Case Weight - 26.69 Pounds  
44 Packages Per Pallet
- **5 Gallon Pail** (Part # 5267)  
UPC - 037083052671  
Case Weight - 48.54 Pounds  
36 Packages Per Pallet
- **52 Gallon Drum** (Part # 5268)  
Case Weight - 506.14 Pounds  
4 Packages Per Pallet



### PROvantage

### VOC-Compliant Solvent

- Covered by the 50 Year Gold Subfloor Warranty against subfloor pops and squeaks
- Strong, durable bond that adheres wet, frozen and treated lumber
- VOC compliant in all 50 states and can be easily extruded down to 0°F

### Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 5251)  
Case UPC - 10037083052517  
Case Weight - 11.73 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5252)  
Case UPC - 10037083052524  
Case Weight - 31.21 Pounds  
44 Packages Per Pallet



### Contractor Grade

### Water-Based

- All-purpose versatility that adheres all common building materials
- Superior strength in dry conditions and ideal for interior or exterior applications
- Cleans up easily with water in wet state

### Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 7471)  
Case UPC - 10037083074717  
Case Weight - 11.75 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 7472)  
Case UPC - 10037083074724  
Case Weight - 31.48 Pounds  
44 Packages Per Pallet
- **3.5 Gallon Pail** (Part # 7479)  
UPC - 037083074796  
Case Weight - 41.28 Pounds  
36 Packages Per Pallet



Titebond® offers three premium-grade heavy duty adhesive formulas for more demanding interior and exterior construction, installation and repair projects. They provide strong grab, fill gaps and irregularities, and will remain permanently flexible. These professional strength formulas bond to most common building materials and pass ASTM D3498, APA AFG-01 and ASTM C557.



**Titebond**  
THE PRO'S ADVANTAGE

# SUBFLOOR

## Construction Adhesives



### Solvent-Based

- Covered by the 25 Year Silver Subfloor Warranty against subfloor pops and squeaks
- Designed for use in extreme weather conditions from 0-100°F
- Ideal for wet, frozen, engineered, ACA and CCA treated lumber
- Class 1/8in., Type P/O subfloor adhesive in accordance with ASTM D3498-19

### Specifications:

- ASTM D3498-19
- APA AFG-01
- ASTM C557
- CAN/CGSB-71.25M
- CAN/CGSB-71.26M

### Ordering Information:

- **10 oz. Cartridge** (Part # 5491)  
Case UPC - 10037083054917  
Case Weight - 10.91 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5492)  
Case UPC - 10037083054924  
Case Weight - 28.92 Pounds  
44 Packages Per Pallet



### PROvantage

### VOC-Compliant Solvent

- Covered by the 25 Year Silver Subfloor Warranty against subfloor pops and squeaks
- Weatherproof formula that bridges gaps and irregularities in the subfloor
- VOC compliant in all 50 states and can be easily extruded down to 0°F

### Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 5481)  
Case UPC - 10037083054818  
Case Weight - 11.71 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 5482)  
Case UPC - 10037083054825  
Case Weight - 31.15 Pounds  
44 Packages Per Pallet
- **52 Gallon Drum** (Part # 5488)  
Case Weight - 616.35 Pounds  
4 Packages Per Pallet



### Contractor Grade

### Water-Based

- Reduces subfloor squeaks and the amount of nailing
- Highly water resistant when dry and exhibits excellent aging qualities
- Provides professional strength and durability in a VOC-compliant formula

### Specifications:

- APA AFG-01
- ASTM C557

### Ordering Information:

- **28 oz. Cartridge** (Part # 7282)  
Case UPC - 10037083072829  
Case Weight - 31.61 Pounds  
44 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# DRYWALL

## Construction Adhesives

The Titebond® line of drywall adhesives are designed for installing drywall and paneling to most common building materials including wood and metal studs. They offer excellent adhesion, reduce fastener pops, and provide a “no sag” installation. Each adhesive exceeds the requirements of ASTM C557 and E72 for Racking and Shearing.



### Solvent-Based

- Offers a strong initial tack that allows panels to be positioned quickly without slipping
- All weather formulation that fills gaps and irregularities in substrates
- Ideal for use on metal studs

### Specifications:

- ASTM C557
- E72 for Racking & Shearing
- CAN/CGSB-71.25M

### Ordering Information:

- **28 oz. Cartridge** (Part # 5352)  
Case UPC - 10037083053521  
Case Weight - 31.21 Pounds  
44 Packages Per Pallet



### PLUS

### VOC-Compliant Solvent

- PLUS Performance - Eliminates up to 99% of fastener pops\*
- Fast grab and durable bond that reduces fastener use by 50%
- Resists aging and will not become hard or brittle over time

### Specifications:

- ASTM C557
- E72 for Racking & Shearing

### Ordering Information:

- **28 oz. Cartridge** (Part # 5342)  
Case UPC - 10037083053422  
Case Weight - 31.21 Pounds  
44 Packages Per Pallet

\*Drywall Plus will eliminate 99% of fastener pops when used in accordance to Titebond's Drywall Fastener Pop White Paper, which can be found at [titebond.com/drywallpops](http://titebond.com/drywallpops).



### Contractor Grade

### Water-Based

- Excellent adhesive strength on a variety of substrates
- No harsh odor and VOC compliant
- Cleans easily with water in wet state

### Specifications:

- ASTM C557
- E72 for Racking & Shearing

### Ordering Information:

- **28 oz. Cartridge** (Part # 7292)  
Case UPC - 10037083072928  
Case Weight - 34.62 Pounds  
44 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# PROJECT SPECIFIC

## Construction Adhesives

Project specific products offered by Titebond® are designed with distinct applications in mind and their performance characteristics are geared directly toward that application. Whether building a retaining wall with PROvantage Landscape or adhering foamboard with All Purpose, these products provide superior, professional performance for quality installations.



### Solvent-Based

- Ideal for both interior and exterior projects, including foamboard installation
- Highly water resistant and can easily be extruded down to 0°F
- Offers up to a 10 minute working time for precise placement of materials

### Specifications:

- APA AFG-01
- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 3451)  
Case UPC - 10037083034513  
Case Weight - 11.1 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3452)  
Case UPC - 10037083034520  
Case Weight - 29.31 Pounds  
44 Packages Per Pallet



### PROvantage VOC-Compliant Solvent

- All weather formula to prevent shifting or loosening of substrates due to seasonal changes
- VOC compliant in all 50 states and can be easily extruded down to 0°F
- Bridges gaps and is extremely effective when bonding irregular surfaces
- High bond strength for demanding landscape applications

### Specifications:

- ASTM D3498
- APA AFG-01
- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 3121)  
Case UPC - 10037083331215  
Case Weight - 11.21 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3122)  
Case UPC - 10037083031222  
Case Weight - 29.75 Pounds  
44 Packages Per Pallet



### PLUS Solvent Free

- PLUS Performance - Adheres to painted and primed surfaces
- Designed for quick and easy installation of rubber, vinyl and wood cove bases
- Exhibits a fast, strong grab that holds materials in place and eliminates sagging

### Specifications:

- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 3401)  
Case UPC - 10037083034018  
Case Weight - 12.99 Pounds  
108 Packages Per Pallet
- **28 oz. Cartridge** (Part # 3402)  
Case UPC - 10037083034025  
Case Weight - 34.5 Pounds  
44 Packages Per Pallet
- **4 Gallon Pail** (Part # 3404)  
UPC - 037083034042  
Weight - 48.95 Pounds  
36 Packages Per Pallet



### Contractor Grade Water-Based

- No odor formula ideal for a variety of interior applications
- Bonds common building materials including foamboard, plastics and tub surrounds
- VOC-compliant, nonflammable formula promotes healthy living and working environments

### Specifications:

- ASTM C557

### Ordering Information:

- **10 oz. Cartridge** (Part # 4121)  
Case UPC - 10037083041217  
Case Weight - 13.1 Pounds  
108 Packages Per Pallet





# SPECIALTY

## Construction Adhesives

Titebond® aims to provide solutions for common construction applications where the addition of our products can enhance and better support the installation process. This work has led to the development of our specialty line of construction adhesive products. These products meet the needs of select construction projects by exhibiting performance properties specific to that application.

### Water-Based

- Designed for the safe and easy installation of acoustical ceiling tiles
- Exhibits a fast, strong grab that holds materials firmly in place and eliminates sagging
- VOC-compliant, nonflammable formula promotes healthy living and working environments

### Specifications:

- ASTM D-1779
- NFPA Class A Fire Rated
- Meets CHPS Low Emitting Material Credit

### Ordering Information:

- **Gallon Pail** (Part # 2706)  
UPC - 037083027068  
Weight - 25.66 Pounds  
75 Packages Per Pallet
- **4 Gallon Pail** (Part # 2704)  
UPC - 037083027044  
Weight - 52.51 Pounds  
36 Packages Per Pallet



### ULTIMATE

#### Advanced Polymer

- Adhere and seal PVC trim for a variety of applications
- All in one formula for ease of application – Bonds virtually any material
- Will not freeze and can be extruded down to 0°F
- Durable bond that is waterproof and weatherproof

### Specifications:

- ASTM C920 Type S Grade NS Class 50, Use NT, M, G and A
- Federal Specification TT-S-00230C Type II Class A

### Ordering Information:

- **9.5 oz. Cartridge** (Part# 6401)  
Case UPC -10037083064015  
Case Weight - 12.40 Pounds  
108 Packages Per Pallet

**Bonds  
PVC  
to  
PVC**



### Solvent-Free

- Single component, high strength adhesive providing a permanent bond
- Ideal for miter, scarf and shiplap joints, PVC decking and column wrap installations
- Fast-curing, solvent-free formula bonds in 60 seconds for immediate project continuation
- High viscosity that will not run or drip

### Ordering Information:

- **4 oz. Bottle** (Part# 6422)  
Case UPC -10037083064220  
Case Weight - 3.61 Pounds  
270 Packages Per Pallet



**Titebond®**  
**THE PRO'S ADVANTAGE**

# PANEL

## Construction Adhesives

### Solvent-Based

- Versatile, high-quality adhesive designed for the installation of a variety of paneling materials
- Provides excellent water resistance and is unaffected by moisture and high humidity
- Trowels easily and offers a 15 minute working time for precise placement of materials

#### Specifications:

- ASTM C557

#### Ordering Information:

- **5 Gallon Pail** (Part # 3227)  
UPC - 037083032277  
Weight - 57.17 Pounds  
36 Packages Per Pallet



### ULTIMATE

### Advanced Polymer

- Advanced polymer, 100% solids formula that can bond virtually any material and is designed for a wide range of paneling installations
- Recommended for painted surfaces, existing FRP and paneling, mirrors, plastic, ceramic tile, wallpaper & more
- Exhibits a fast grab, trowels easily and has a rapid cure rate
- Moisture, mold and mildew resistant with no offensive odor
- One Pouch Per Panel - Innovative pouch packaging yields enough adhesive to cover a 4' x 8' panel

#### Specifications:

- NAHB Green Building
- LEED v4 / SCAQMD / CARB
- NFPA Class A Fire Rated
- ASTM C557

#### Ordering Information:

- **3.5 Gallon Pail** (Part # 4319)  
UPC - 037083043198  
Weight - 47.5 Pounds  
36 Packages Per Pallet
- **6 - 1/2 Gallon Pouches** (Part # 4315)  
Case UPC - 10037083043157  
Weight - 55.31 Pounds  
36 Packages Per Pallet



### Water-Based

- Professional strength formula for the installation of FRP (fiber-reinforced plastic) panels over most porous surfaces
- Fast initial grab that reduces the need for extended bracing
- Nonflammable, no offensive odor and cleans easily with water when wet
- Industry's #1 FRP adhesive

#### Specifications:

- NAHB Green Building
- LEED v4 / SCAQMD / CARB
- NFPA Class A Fire Rated
- FDA and CFIA for Indirect Food Contact
- ASTM C557

#### Ordering Information:

- **Gallon Pail** (Part # 4056)  
UPC - 037083040562  
Weight - 24.7 Pounds  
75 Packages Per Pallet
- **4 Gallon Pail** (Part # 4054)  
UPC - 037083040548  
Weight - 50.58 Pounds  
36 Packages Per Pallet



**Titebond**  
THE PRO'S ADVANTAGE

# MERCHANDISING

Titebond® offers a variety of merchandising opportunities to assist in the marketing, display and promotion of our construction adhesive offerings in store. These merchandisers are available to all distributors. A Titebond representative will be able to order any of the materials shown below and assist with setting up any item. All items can be combined to best fit the needs of individual stores and situations.

All merchandisers are ordered on a first come, first serve basis while supplies lasts. Additional lead time should be expected if items are on back order.



**Vinyl Banner (60" w x 24" h)**  
Can be displayed in-store to showcase the Titebond brand of construction adhesives.



**PVC Merchandiser**  
Hanging Grid Rack for Titebond PVC Trim Adhesive & Sealant. Holds one case of product.



**Counter Mat (18" w x 12" h)**  
Display the Titebond construction adhesive line on counter space.



**Demo Boards**



**Chain Signs**



**10oz. Vertical Pusher Rack (12" w x 7" h x 14" d) Order # - 17986**  
Five row pusher rack that holds 30 cartridges.




**Sales Presentation Kits**  
Ideal for training and potential customers, kits include product samples and other corresponding product literature.




**10 oz. Cartridge Bin Basket (12" w x 8" h x 15.25" d) Order # - 17977**  
One size fits all 10 oz. cartridges.



**28 oz. Cartridge Bin Basket (18" w x 8" h x 15.25" d) Order # - 17956**  
One size fits all 28 oz. cartridges.



**10 oz. Shelf Cards (12" w x 3" h)**  
Graphic cards that can be inserted into 10 oz. Vertical Pusher Racks and 10 oz. Cartridge Bin Baskets.



**28 oz. Shelf Cards (17.75" w x 3" h)**  
Graphic cards that can be inserted into 28 oz. Cartridge Bin Baskets.

# SKU INFO

The chart below includes detailed information on each Titebond® construction adhesive SKU to help guide the ordering process. Please contact your local Titebond representative, Titebond Customer Service at 1.800.669.4583 or [concustserv@franklininternational.com](mailto:concustserv@franklininternational.com) for questions and order placement.

TITEBOND ADHESIVE NAME	PRODUCT NUMBER	PRODUCT UPC	CASE UPC	CASE QUANTITY	PRODUCT WEIGHT (Pounds)	CASE LENGTH (Inches)	CASE WIDTH (Inches)	CASE HEIGHT (Inches)	SHELF LIFE (Months)	PALLET QUANTITY	PALLET WEIGHT (Pounds)
<b>SOLVENT-BASED</b>											
Solvent-Based Heavy Duty (10 oz)	5261	0 37083 05261 9	100 37083 05261 6	12	10.11	8.125	6.25	11.63	18	108	1091.88
Solvent-Based Heavy Duty (28 oz)	5262	0 37083 05262 6	100 37083 05262 3	12	26.69	8.125	10.75	16.75	18	44	1174.36
Solvent-Based Heavy Duty (5 Gallon)	5267	0 37083 05267 1	N/A	1	48.54	12	12	14.5	18	36	1747.44
Solvent-Based Subfloor (10 oz)	5491	0 37083 05491 0	100 37083 05491 7	12	10.91	8.125	6.25	11.63	18	108	1178.28
Solvent-Based Subfloor (28 oz)	5492	0 37083 05492 7	100 37083 05492 4	12	28.92	8.125	10.75	16.75	18	44	1272.48
Solvent-Based All Purpose (10 oz)	3451	0 37083 03451 6	100 37083 03451 3	12	11.1	8.125	6.25	12	18	108	1198.8
Solvent-Based All Purpose (28 oz)	3452	0 37083 03452 3	100 37083 03452 0	12	29.31	8.125	10.75	16.75	18	44	1289.64
Solvent-Based Drywall (28 oz)	5352	0 37083 05352 4	100 37083 05352 1	12	31.21	8.125	10.75	16.75	18	44	1373.24
Solvent-Based FRP (5 Gallon)	3227	0 37083 03227 7	N/A	1	57.17	12	12	14.5	24	36	2058.12
<b>PROvantage VOC-Compliant Solvent</b>											
PROvantage Heavy Duty (10 oz)	5251	0 37083 05251 0	100 37083 05251 7	12	11.73	8.125	6.25	11.63	18	108	1266.84
PROvantage Heavy Duty (28 oz)	5252	0 37083 05252 7	100 37083 05252 4	12	31.21	8.125	10.75	16.75	18	44	1248.4
PROvantage Subfloor (10 oz)	5481	0 37083 05481 1	100 37083 05481 8	12	11.71	8.125	6.25	11.63	18	108	1264.68
PROvantage Subfloor (28 oz)	5482	0 37083 05482 8	100 37083 05482 5	12	31.15	8.125	10.75	16.75	18	44	1246
PROvantage Landscape (10 oz)	3121	0 37083 03121 8	100 37083 03121 5	12	11.21	8.125	6.25	11.63	18	108	1210.68
PROvantage Landscape (28 oz)	3122	0 37083 03122 5	100 37083 03122 2	12	29.75	8.125	10.75	16.75	18	44	1309
<b>Project Specific</b>											
Fast Grab FRP (4 Gallon)	4054	0 37083 04054 8	N/A	1	50.58	12.5	12.5	13.75	24	36	1820.88
Fast Grab FRP (Gallon)	4056	0 37083 04056 2	100 37083 04056 9	2	24.7	15.75	8	8.5	24	75	1852.5
Acoustical Ceiling Tile (4 Gallon)	2704	0 37083 02704 4	N/A	1	52.51	12.5	12.5	13.75	24	36	1890.5
Acoustical Ceiling Tile (Gallon)	2706	0 37083 02706 8	100 37083 02706 5	2	25.66	13.25	6.75	7.563	24	75	1925.5
<b>PLUS</b>											
Drywall Plus (28 oz)	5342	0 37083 05342 5	100 37083 05342 2	12	31.21	8.125	10.75	16.75	18	44	1248.4
Cove Base Plus (10 oz)	3401	0 37083 03401 1	100 37083 03401 8	12	12.99	8.125	6.25	12	18	108	1402.92
Cove Base Plus (28 oz)	3402	0 37083 03402 8	100 37083 03402 5	12	34.5	8.125	10.75	16.75	18	44	1518
Cove Base Plus (4 Gallon)	3404	0 37083 03404 2	N/A	1	48.95	12.5	12.5	13.75	18	36	1762.2
TiteGrab Plus (9 oz)	6701	0 37083 06701 9	100 37083 06701 6	12	13.64	8.125	6.25	11	12	108	1473.12
<b>ULTIMATE</b>											
PVC Trim Adhesive & Sealant (9.5 oz)	6401	0 37083 06401 8	100 37083 06401 5	12	12.4	8.125	6.25	12.25	24	108	1340.28
PVC Trim Joint Adhesive (4 oz)	6422	0 37083 06422 3	100 37083 06422 0	10	3.61	6.75	4.75	6.75	24	270	974.7
Advanced Polymer Panel (3.5 Gallon)	4319	0 37083 04319 8	100 37083 04319 8	1	47.5	12.5	12.5	11.75	12	36	1710
Advanced Polymer Panel (6-1/2 Gallon Pouches)	4315	0 37083 04315 0	100 37083 04315 7	6	55.31	12.5	12.5	13.75	24	36	1991.16
Fast Set (10 oz)	4221	0 37083 04221 4	100 37083 04221 1	12	11.99	8.125	6.25	12	18	108	1294.92
Fast Set (28 oz)	4222	0 37083 04222 1	100 37083 04222 8	12	32.32	8.125	10.75	16.75	18	44	1422.08
<b>CONTRACTOR GRADE Water-Based</b>											
Contractor Grade Drywall (28 oz)	7292	0 37083 07292	100 37083 07292 8	12	34.62	8.125	10.75	16.75	24	44	1523.28
Contractor Grade Subfloor (28 oz)	7282	0 37083 07282	100 37083 07282 9	12	31.61	8.125	10.75	16.75	18	44	1390.84
Contractor Grade Heavy Duty (10 oz)	7471	0 37083 07471 0	100 37083 07471 7	12	11.75	8.125	6.25	11.63	18	108	1269
Contractor Grade Heavy Duty (28 oz)	7472	0 37083 07472 7	100 37083 07472 4	12	31.48	8.125	10.75	16.75	18	44	1385.12
Contractor Grade Heavy Duty (3.5 Gallon)	7479	0 37083 07479 6	N/A	1	41.28	12.5	12.5	11.75	18	36	1486.08
Contractor Grade Projects (10 oz)	4121	0 37083 04121 7	100 37083 04121 4	12	13.1	8.125	6.25	11.63	18	108	1414.8

# Titebond®

THE PRO'S ADVANTAGE



Franklin International

Columbus, Ohio 43207 614.443.0241 Technical Service 1.800.347.4583 © 2024 01391\_7926TF FF651